



Amistar[®] Top

**Active ingredients:
Azoxystrobin + Difenoconazole**

Amistar[®] Top 325 SC is a broad-spectrum product containing two fungicides. It has preventative, systemic, and curative properties and is recommended for the control of many important plant diseases. Amistar[®] Top 325 SC provides excellent disease control of many leaf spots and powdery mildews. Amistar[®] Top 325 SC is applied as a foliar spray and can be used in block, alternating spray or tank-mix programs with other crop protection products.

Suitable for: Effective control of fungal diseases such as Late blight, Downy mildew, Phytophthora, Early blight, Leaf spot, Damping off, Root rot, Purple blotch, Powdery mildew, Ground spot, Anthracnose.

Pack size: 1 Litre

Dosage rate: 1 tspn per gallon | 5ml per gallon

Manufactured by  **syngenta**

Distributed by:

 **Agro**

Available exclusively at
 **Agro** and its dealers islandwide

Brown's Town | Kingston | Mandeville | Montego Bay | Southfield | Ocho Rios

 876-618-0829 |  hardwareandlumber.com |    @hlagrojamaica

MAIN FEATURES

- Good rain-fastness
- Two active ingredients with different mode of action.
- Good residual effect.
- Systemic effect and permeability

BENEFITS

- Stimulates shoot development.
- Soil acting
- Greening effect
- Low dose rate.

PHI & CROP TYPE

• Tomato, Cucumber, Pumpkin, Melon, Pepper, Onion, Eggplant, Citrus	7 days
• Potato	14 days

RATE OF APPLICATION

- 1 tspn per gallon | 5ml per gallon

SAFETY FIRST

- **Skin and body:** Wear suitable protective clothing. Chemical resistant boots. **Hands:** Protective gloves. The glove material has to be impermeable and resistant to the product.
- **Eyes:** Wear safety goggles.
- Suitable respiratory protective equipment must be worn.